



CAYENNE

© 2005 BY MATMAC

Bogenstab 57,5 cm
 ø 1,3 mm Kohlefaser 1-8 km/h
 ø 1,5 mm Kohlefaser 17-26 km/h

Bow 23 1/16
 0.050 ø Carbon Rod 1-5 mph
 0.060 ø Carbon Rod 10-16 mph





ideal balance point
optimaler Balancepunkt

<----- Bambus oder Kohlefaser -Mittelstab 43,5 cm ----->
<----- Bamboo or Carbon Spine length 17 1/8" ----->

Segellatte ø 0,5 mm Länge 12,5 cm (Kohlefaser)
carbon battens ø 0,020" length 4 7/8"

lower bridge connecting point
unterer Waagepunkt


Segellatte ø 0,5 mm Länge 12,5 cm (Kohlefaser)
carbon battens ø 0,020" length 4 7/8"

Segellatte ø 0,5 mm Länge 12,5 cm (Kohlefaser)
carbon battens ø 0,020" length 4 7/8"

9 3/8" - 23,7 cm


wingtip location
Flügelspitze

optional straight trailing edge
optionale gerade Schleppekante




Cayenne

©
matmac
05/2006
&
07/2017



Verstärkung
-
optional reinforcement



Cayenne